

25 April 2019 AGE Project No. 19-4709

Mr. Alan A. Malagon
BOWER ENVIRONMENTAL CONSULTING, INC.
17011 Beach Boulevard, Suite 900
Huntington Beach, CA 92647
Via Email: alanmalagon@bowyerenvironmental.com

Subject: Limited Asbestos Sampling Report

DEVORE TRUST PROPERTY

210 West Slauson Avenue, Los Angeles, California

Dear Mr. Malagon:

Advanced GeoEnvironmental, Inc. (AGE) performed a limited suspect asbestos debris sampling and laboratory analysis at the DeVore Trust Property located at 210 West Slauson Avenue, Los Angeles, California (the "Site"). The sampling was conducted on 24 April 2019. The survey methodology, laboratory analytical results and recommendations if warranted, are presented in this letter report.

1.0. INTRODUCTION

This limited suspect asbestos sampling was required following an explosion related to a leaking fuel tanker trailer at the facility. The site was visited by the South Coast Air Quality Management District (SCAQMD) on 18 April 2019. The SCAQMD issued a Notice to Comply (NTC) #F10153 to conduct an asbestos survey of the fire damaged debris, including the asphalt ground cover. The NTC is attached in Appendix A.

The NTC required suspect asbestos containing materials of the fire damaged debris in specific areas to be sampled prior to disposal to a landfill. The sampling was required to be conducted by a California certified asbestos consultant (CAC). The following areas and contents of specific containers marked for disposal was sampled.

- 1. Burned (damaged) asphalt along with absorbent material on the ground.
- 2. A red 10-yard bin filled with debris and a gray 20-yard bin filled with metal scrap.
- 3. An approximately 25 foot by 45 foot shed used for metal storage and a burned cabinet.



3335 East Miraloma Avenue, Suite 142, Anaheim, CA 92806 Teiephone (800) 511-9300 * Fax (888) 445-8786 An Employee-Owned Company



4. Seven (7) 55-gallon drums with absorbent and debris inside.

2.0. ASBESTOS CONTAINING MATERIALS SAMPLING AND ANALYSIS

On 24 April 2019, Mr. Sam Seneviratne of AGE conducted an inspection, condition assessment and homogeneous material quantification and sampling of any suspect ACM containing debris at the Site. AGE collected a total of twenty-nine (29) samples during the limited asbestos survey, drew a field drawing of the sample locations and transmitted the samples under the chain of custody protocol to the analytical laboratory on the same day.

The samples were submitted to LA Testing Laboratory in South Pasadena, California, National Voluntary Laboratory Accreditation Program (NVLAP) and accredited for asbestos analysis (NVLAP Lab Code 200757-0 and AIHA Laboratory ID # 1786976). The samples were analyzed for asbestos type and percentage using polarized light microscopy with dispersion staining (PLM/DS) in accordance with EPA Method 600/R-93-116.

Per the request of the client, the fifteen (15) suspect ACM samples that were collected from the seven (7) 55-gallon drums that appeared to contain mostly absorbent materials with petroleum waste was not analyzed. In addition, the red waste bin with burnt debris on site was excluded from sampling.

3.0. FINDINGS

Asbestos was not detected in the suspect asbestos samples collected from burnt debris and other waste found across the property. The following table summarizes the suspect ACM materials that were sampled:

Sample No.	Material	Location(s)
1-5, 23	4" thick Asphalt and Slurry Seal Ground Cover	Ground Coverings Throughout Site
21, 26	Absorbent	Gray Waste Bin Metal Shed
22	Broken Clay type Flange	Gray Waste Bin
24	Electrical Wire Insulation	Metal Shed



Sample No.	Material	Location(s)
25	Ash - Burnt Debris	Cabinet top Metal Shed
27, 28, 29	Buffing Wheels 3", 6" & 7" Diameter	Metal Shed

The analytical reports are attached in Appendix B.

4.0. CONCLUSIONS AND RECOMMENDATIONS

Results of laboratory analysis of suspect asbestos-containing burnt debris materials and absorbent sampled as part of the asbestos did not report asbestos in any of the samples that were analyzed by the laboratory.

AGE has no further recommendations based on the findings of this investigation.

5.0. LIMITATIONS

This survey was performed using standard industry practices utilized by the environmental professional community. AGE has made a diligent effort to discover accessible asbestos-containing building materials to the extent of our scope of work that were limited to the specific locations identified in this report, using reasonable means, within the limitations of conditions incurred at the Site. However, there is always a chance that some asbestos-containing material may have escaped detection, due to their inaccessibility. This was not a comprehensive asbestos survey.

Contractors and maintenance personnel should be alert to the possibility of encountering such materials and should stop work if a suspect asbestos containing material(s) to be disturbed are found or are not included in available survey report information for the Site. Any suspect ACM found which is not included in this or any other asbestos survey report submitted with the demolition or renovation submittal package should be assumed to contain asbestos until it is properly surveyed and tested. Results conveyed herein describe conditions at the date/time of the survey and may not be accurate if modifications, renovations, or other building conditions change. This report is not a specification nor is it intended as a bidding document. Contractors performing work, disturbing regulated materials identified herein should field verify building conditions and material quantities prior to submitting any bids for work.

The opportunity to perform this service is greatly appreciated. If you have any questions,

25 April 2019 AGE Project No. 19-4907 Page 4 of 4



please feel free to call our office at (800) 511-9300.

Sincerely,

Advanced GeoEnvironmental, Inc.

Sam Seneviratne, CAC Senior Industrial Hygienist

DOSH Certified Asbestos Consultant No. 93-0886

Robert D. Loeffler

Senior Geologist/Vice President

California Professional Geologist No. 6709

Registered Environmental Property Assessor No. 136161

Attachments: Sample Locations


Appendix A – SCAQMD Notice to Comply

Appendix B – Laboratory Reports with Chain-of-Custody Documents

Appendix C - Inspector Certifications

FIGURE

Sample Locations



Environmental

55-Gallon Drum

www.advgeoenv.com (800) 511-9300

Advanced Devore Property Asbestos Sample Locations FILE: SP 210 WEST SLAUSON AVENUE LOS ANGELES

DATE: 25 April 2019 DRAWN BY: JDS PROJECT NO. 19-4709 FIGURE: 1

Appendix ASCAQMD Notice to Comply



Small Coast Air Quality Monagemen P.O. Box - M. Drasturidean, Coast to the

NOTICE#: F 10153

BESTOS

4 118 119 DATE OF INSPECTION

	12.50		
06,210 XX GIRLASON ALENCE.	45.5		
" Legal Ception (* 1842 adjust) SE Savia Clave St. Suite 10	1000		
s Notice to Comply is being issued to request additional informat lure to respond or take corrective action, or providing false sta plation pursuant to the California Health and Safety Code. The fo		a en Comply can lead to i	issuance of a NOT
OU ARE HEREBY DIRECTED TO COMPLY WI		I판H&SC 40701(g)	□ H&SC 423.
rovide evidence and copies of the following checked it	ems:		
Prior asbestos survey Asbestos removal notification(s) to SCAQMD CSLB Contractor's License DOSH License to remove asbestos Contract(s) Building and Safety Permits Names, addresses, phone numbers of worker(s and supervisor(s) Asbestos (AHERA) training certificates for	☐ Identify locatio ☐ Identify hazard ☐ Copy of landfil ☐ Business licen ☐ Specify which	ste manifest(s) ste generator label(s) n where waste was tra ous waste transporter /disposal site receipt se 5 of One Colors asbestos removal proc	
supervisor(s) and worker(s)		3(d)(1)(D)(l). wordental br	
supervisor(s) and worker(s) ☑ Other (list);	Marine The Company	inductul be	<u> 1 m. 100 kg</u> e s Te 2
supervisor(s) and worker(s) ☑ Other (list);	Marine The Company	inductul be	<u>1 </u>
supervisor(s) and worker(s) Other (list) (According to 1944 to 3 to 44	a higher gancer) Middle The agence L 55 gallen dry	inductul be	<u>16. (</u> 9.19) 2. 2. 7. 1.
Supervisor(s) and worker(s) Other (list) popular (123 03 141 A > her has consultant (1260) that 14 A > ponth, debyts, meths saud and	1 item(s) Compliance Achieve	esadatut la g-18/15 e. ms	1
Supervisor(s) and worker(s) Other (list): 1996 1996 1996 1996 1996 1996 1996 199	aship (24 ganla) history the agrees 1 55 garlen day	englastal to p - fins a ms: d Date:	
Supervisor(s) and worker(s) Other (list) O	1 item(s) Compliance Achieve	esadatut la g-18/15 e. ms	
Supervisor(s) and worker(s) Other (list): 1996 1996 1996 1996 1996 1996 1996 199	1 item(s) Compliance Achieve	19 1 2 1 5 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
Supervisor(s) and worker(s) Other (list): 1996 1996 1996 1996 1996 1996 1996 199	Compliance Achieve Served By	d Date: Delet 15 Sugged of the cited facility must accompliance was ach level.	

part correction

PACILITY COPY (Gold)

Appendix B

Laboratory Reports and Chain-of-Custody Documents



LA Testing

520 Mission Street South Pasadena, CA 91030

Tel/Fax: (323) 254-9960 / (323) 254-9982

http://www.LATesting.com / pasadenalab@latesting.com

LA Testing Order: 321909910 Customer ID: 32ADGE55

> Customer PO: Project ID:

Attention: Sam Seneviratne Phone: (714) 398-5168

Advanced GeoEnvironmental, Inc. Fax: (714) 529-0203

3335 E. Miraloma Avenue **Received Date**: 04/24/2019 12:45 PM

 Suite 142
 Analysis Date:
 04/25/2019

 Anaheim, CA 92806
 Collected Date:
 04/24/2019

Project: Devore Trust Prep/ 19-4907

Test Report: Asbestos Analysis of Bulk Materials via EPA 600/R-93/116 Method using Polarized Light Microscopy

			Non-Ast	<u>oestos</u>	<u>Asbestos</u>
Sample	Description	Appearance	% Fibrous	% Non-Fibrous	% Type
1	Asphalt ground coverings - Asphalt	Gray/Black Non-Fibrous		100% Non-fibrous (Other)	None Detected
321909910-0001	composite 4" thick	Homogeneous			
321909910-0002	Asphalt ground coverings - Asphalt composite 4" thick	Gray/Black Non-Fibrous Homogeneous		100% Non-fibrous (Other)	None Detected
3	Asphalt ground coverings - Asphalt composite 4" thick	Gray/Black Non-Fibrous Homogeneous		100% Non-fibrous (Other)	None Detected
4	Asphalt ground coverings - Asphalt	Black Non-Fibrous		100% Non-fibrous (Other)	None Detected
5	composite 4" thick Asphalt ground coverings - Asphalt	Homogeneous Gray/Black Non-Fibrous		100% Non-fibrous (Other)	None Detected
321909910-0005	composite 4" thick	Heterogeneous			
21 321909910-0006	Gray bin south - Absorbent broken clay type flage	Gray/Black Non-Fibrous Heterogeneous		100% Non-fibrous (Other)	None Detected
22	Gray bin center - Absorbent broken	Gray Non-Fibrous		100% Non-fibrous (Other)	None Detected
321909910-0007	clay type flage	Homogeneous			
23 321909910-0008	Metal shed - Aspahlt floor elec. Wire insulation ash	Gray/Black Non-Fibrous Homogeneous		100% Non-fibrous (Other)	None Detected
24	Metal shed center -	Black		100% Non-fibrous (Other)	None Detected
321909910-0009	Aspahlt floor elec. Wire insulation ash	Non-Fibrous Homogeneous		100% Non-librous (Other)	None Detected
25	Metal shed inside 5 gal bucket - Aspahlt	Gray/Black Non-Fibrous		100% Non-fibrous (Other)	None Detected
321909910-0010	floor elec. Wire insulation ash	Homogeneous			
26	Metal shed west wall - Absorbent	Beige Non-Fibrous		100% Non-fibrous (Other)	None Detected
321909910-0011	***************************************	Homogeneous	***************************************		
27	Metal shed west wall - Buffing wheels 6" OD	Black/Clear Fibrous	10% Glass	90% Non-fibrous (Other)	None Detected
321909910-0012		Heterogeneous			
28	Metal shed west wall - Buffing wheels 3" OD	Black/Clear Fibrous	10% Glass	90% Non-fibrous (Other)	None Detected
321909910-0013		Heterogeneous			
321909910-0014	Metal shed west wall - Buffing wheels 7" OD	Black Fibrous	20% Glass	80% Non-fibrous (Other)	None Detected
321909970-0074		Heterogeneous			

Report amended: 04/25/2019 11:41:12 Replaces initial report from: 04/25/2019 11:15:57 Reason Code: Client-Change to Location



LA Testing

520 Mission Street South Pasadena, CA 91030

Tel/Fax: (323) 254-9960 / (323) 254-9982

http://www.LATesting.com / pasadenalab@latesting.com

LA Testing Order: 321909910 Customer ID: 32ADGE55

Customer PO: Project ID:

Analyst(s)

John Talley (9) Olivia Santiago (5) Jerry Drapala Ph.D, Laboratory Manager or Other Approved Signatory

EMSL maintains liability limited to cost of analysis. The above analyses were performed in general compliance with Appendix E to Subpart E of 40 CFR (previously EPA 600/M4-82-020 "Interim Method"), but augmented with procedures outlined in the 1993 ("final") version of the method. This report relates only to the samples reported above, and may not be reproduced, except in full, without written approval by EMSL. EMSL bears no responsibility for sample collection activities or analytical method limitations. Interpretation and use of test results are the responsibility of the client. All samples received in acceptable condition unless otherwise noted. This report must not be used by the client to claim product certification, approval, or endorsement by NVLAP, NIST or any agency of the federal government. EMSL recommends gravimetric reduction for all non-friable organically bound materials prior to analysis. Estimation of uncertainty is available on request.

Samples analyzed by LA Testing South Pasadena, CA NVLAP Lab Code 200232-0, CA ELAP 2283

Report amended: 04/25/2019 11:41:12 Replaces initial report from: 04/25/2019 11:15:57 Reason Code: Client-Change to Location

OrderID: 321909910



Asbestos Chain of Custody

LA Testing Order Number (Lab Use Only): #3 2 1 9 0 9 9 1 0

PHONE:()
Fax:()

Street 3335 E. Miraloma Ave., #142 City. Anahelm State/Province: CA		······································	***************************************	***************************************	***************************************		
Zip/Postal Code: 92806 Country: USA Telephone #: 714.398.5168 Fax #: Report To (Name): Sam Seneviratine Piease Provide Rosults: Fax Email	Company : Advance	ed GeoEnvironmen	ital	EMSL Customer ID:	32ADGE55		
Please Provide Results: Fax Email	Street: 3335 E. Mi	raloma Ave., #142	2	_{City:} Anaheim	State/Pro	vince: CA	
Please Provide Results: Fax Email	Zip/Postal Code: 9280	Countr	y:USA	Telephone #: 714.398	.5168 Fax	#:	
Email Address; sam.s@advgeoenv.com Project Name/Number: Device fixed beep Interest and the project Interest In	Report To (Name): Sa	ım Seneviratne				ıil	
Project Name/Number: \$\frac{1}{2}\lsight{\sigma}_{\text{corr}} \text{ bvey } \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	£	••••••		Purchase Order:	19-1907		
LA Testing-Bill to: Same Different - If Bill to is Different note instructions in Comments** Third Party Billing requires written authoraction from fund party 3 Hour			119-1907		s: □ Commercial □ I	Residential	
LA Testing-Bill to: Same Different - If Bill to is Different note instructions in Comments** Third Party Billing requires written authoraction from fund party 3 Hour	U.S. State Samples T	aken: 🖟	EMSL Project ID	(Internal Use Only):			
3 Hour	L/	\ Testing-Bill to: 🔲 Sar	ne 🔳 Different - If B	till to is Different note in:	structions in Comments	**	
3 Hour 6 Hour 14 Hour 2 Hour 96 Hour 1 Wek 2 Week 50 Feb Have 3 hours though 6 nours, Nagard cast should be stand to shoeked "There is a primary charge for 3 hour TEM AFTER to FPA Level IT 74." You will be asked to sign an authorization from for this service. Analysis completed in accordance with LA Testings Terms and Conditions located in the Analysis and PCM. AIR (1 Heep Act only) TEM CONTINUE TEM							
To sample # (s): Total # of Samples Time: 1.5 Total # of Samples Time: 1.5 Ti	3 Hour 6					k T 2 Week	
NIOSH 7400	*For TEM Air 3 hours thro	*For TEM Air 3 hours through 6 hours, please call shead to schedule "There is a gramium charge for 3 Hour TEM AHERA or EPA Level II TAT. You will be asked					
NIOSH 7400						Anayiicai Mice Guide	
W/OSHA 8hr. TWA	}		{		***************************************	D 5755	
PLM - Bulk (reporting limit) PLM EPA 600/R-93/116 (<1%) PLM EPA 600/R-93/116 (<1%) PLM EPA NOB (<1%) PLM EPA NOB (<1%) Point Count TEM - Bulk Point Count NYS NOB 198.4 (non-friable-NY) Point Count (Count w/Gravimetric (W/ OSHA 8hr. TW/	\	£	,			
PLM EPA 600/R-93/116 (<1%)	PLM - Bulk (reporting	(limit)	☐ EPA Level II		} ·		
Point Count d00 (<0.25%) 1000 (<0.1%) NYS NOB 198.4 (non-friable-NY) TEM CARB 435 - B (0.1% sensitivity) 1000 (<0.25%) 1000 (<0.25%) 1000 (<0.1%) TEM Mass Analysis-EPA 600 sec. 2.5 EPA Protocol (Semi-Quantitative) NYS 198.6 NOB (non-friable-NY) NYS 198.6 NOB (non-friable-NY) TEM Water; EPA 100.2 EPA Protocol (Quantitative) NYS 198.6 NOB (non-friable-NY) Date: Drinking Other: Date: Drinking Other: Date: Drinking Date: Drinking Date: Drinking Date: Drinking Date: Drinking Date: Date: Drinking Date: Date: Date: Drinking Date:	■ PLM EPA 600/R-93	V116 (<1%) 🗸	☐ ISO 10312			······································	
400 (<0.25%) 1000 (<0.1%) NYS NOB 198.4 (non-friable-NY) TEM CARB 435 - B (0.1% sensitivity) 1000 (<0.25%) 1000 (<0.1%) TEM CARB 435 - C (0.01% sensitivity) TEM CARB 435 - C (0.01% sensitivity) 1000 (<0.25%) 1000 (<0.1%) TEM Mass Analysis-EPA 600 sec. 2.5 EPA Protocol (Semi-Quantitative) TEM - Water: EPA 100.2 EPA Protocol (Semi-Quantitative) EPA Protocol (Semi-Quantitative) TEM - Water: EPA 100.2 EPA Protocol (Quantitative) TEM - Water: EPA 100.2 TEM - Water: EPA 100.2 TEM - Water: EPA 100.2 TEM - Water: EPA 100.	☐ PLM EPA NOB (<1	%)	TEM - Bulk		☐ PLM CARB 435 -	A (0.25% sensitivity)	
Point Count w/Gravimetric Chatfield SOP TEM CARB 435 - C (0.01% sensitivity) 400 (<0.25%) 1000 (<0.1%) TEM Mass Analysis-EPA 600 sec. 2.5 EPA Protocol (Semi-Quantitative) TEM Mass Analysis-EPA 600 sec. 2.5 EPA Protocol (Semi-Quantitative) PEM Mass Analysis-EPA 600 sec. 2.5 EPA Protocol (Semi-Quantitative) PEM Mass Analysis-EPA 600 sec. 2.5 EPA Protocol (Gemi-Quantitative) PEM Mass Analysis-EPA 600 sec. 2.5 EPA Protocol (Gemi-Quantitative) PEM Mass Analysis-EPA 600 sec. 2.5 EPA Protocol (Gemi-Quantitative) PEM Mass Analysis-EPA 600 sec. 2.5 EPA Protocol (Gemi-Quantitative) PEM Mass Analysis-EPA 600 sec. 2.5 EPA Protocol (Gemi-Quantitative) PEM Mass Analysis-EPA 600 sec. 2.5 EPA Protocol (Gemi-Quantitative) PEM Mass Analysis-EPA 600 sec. 2.5 EPA Protocol (Gemi-Quantitative) PEM Mass Analysis-EPA 600 sec. 2.5 EPA Protocol (Gemi-Quantitative) PEM Mass Analysis-EPA 600 sec. 2.5 EPA Protocol (Guantitative) PEPA Protocol (Gemi-Quantitative) PEPA Protocol (Guantitative) PEPA Protocol (Point Count		☐ TEM EPA NOB		☐ PLM CAR8 435 -	B (0.1% sensitivity)	
400 (<0.25%) 1000 (<0.1%) TEM Mass Analysis-EPA 600 sec. 2.5 EPA Protocol (Semi-Quantitative) NYS 198.1 (friable in NY) TEM - Water; EPA 100.2 EPA Protocol (Quantitative) DYS 198.6 NOB (non-friable-NY) NYS 198.6 NOB (non-friable-NY) NYS 198.8 SOF-V Fibers >10 µm Waste Drinking Other: Other: Other Ot	8	*	}	4 (non-friable-NY)	☐ TEM CARB 435 -	B (0.1% sensitivity)	
NYS 198.1 (friable in NY)	1		}		\$		
NYS 198.6 NOB (non-friable-NY) Fibers >10 \(\text{im} \) Waste Drinking Other: NIOSH 9002 (<1%) All Fiber Sizes Waste Drinking Check For Positive Stop - Clearly Identify Homogenous Group Filter Pore Size (Air Samples): 0.8 \(\text{im} \) 0.45 \(\text{im} \) Samplers Name: Sam Seneviratne Samplers Signature: Volume/Area (Air) Bate/Time Sample # Sample Description HA # (Bulk) Sampled Sample # (\$): \$\text{Cet [Ag 5]} \text{Cet [Ag 5]} Client Sample # (\$): \$\text{Cet [Ag 5]} \text{Total # of Samples: } \(\text{2} \) \$\text{7} \\ Reflinquished (Client): \$\text{2} \text{2} \text{3} \text{4} \text{2} \text{4} \text{4} \text{9} \text{7} \\ Received (Lab): \$\text{1} \text{3} \text{3} \text{4} \text{3} \text{4} \text{3} \text{4} \text{4} \text{4} \text{4} \text{4} \text{4} \text{4} \text{5} \text{7} \\ Configents/Special Instructions: \$\text{4} \text{3} \text{4} \text{4} \text{4} \text{4} \text{4} \text{4} \text{4} \text{4} \text{7} \\ Time: \$\text{5} \text{4} \text{5} \text{7} \\ Time: \$\text{5} \text{7} \text{5} \\ \$\text{5} \text{6} \text{6} \\ \$\text{5} \text{7} \text{6} \\ \$\text{6} \text{7} \text{7} \\ \$\text{6} \text{7} \text{7} \\ \$\text{6} \text{7} \text{7} \text{7} \\ \$\text{7} \text{7} \text{7} \\ \$\text{7} \text{7} \\	*		\$	***************************************	and		
NYS 198.8 SOF-V NIOSH 9002 (<1%) NIOSH 9	1 CONTRACTOR OF THE CONTRACTOR	. v	TEM - Water: EP	A 100.2	☐ EPA Protocol (Qu	uantitative)	
NIOSH 9002 (<1%) All Fiber Sizes Waste Drinking Check For Positive Stop - Clearly Identify Homogenous Group Filter Pore Size (Air Samples): D.8µm D.45µm Samplers Name: Sam Seneviratne Samplers Signature: Sampler Area (Air) Date/Time Sample # Sample Description HA # (Bulk) Sampled Sam			Fibers >10µm		Other:		
Samplers Name: Sam Seneviratne Sample # Sample Description Volume/Area (Air) HA # (Bulk) Sampled Lee Attached Logs Book 10 - 12:15 px See Lags Client Sample # (s): Relinquished (Client): Sample Date: 424 19 Time: 12:45 ptx Received (Lab): Date: 424 9 Time: 12:45 ptx Comments/Special Instructions:	1		All Fiber Sizes	Waste 🗌 Drinking			
Sample # Sample Description Volume/Area (Air) Date/Time Sampled Sample # Sample Description HA # (Bulk) Sampled Date Attached Logs Client Sample # (s): Relinquished (Client): Sample Date: 4 2 4 19 Time: 12 4 5 Pm. Received (Lab): Date: 4 2 4 7 Time: DATE Comments/Special instructions:	☐ Check For Positiv	e Stop – Clearly Identif	y Homogenous Gro	up Filter Pore Size (Air \$amples): 🗍 0.8μ	m []0.45μm	
Sample # Sample Description Volume/Area (Air) Date/Time Sampled Sample # Sample Description HA # (Bulk) Sampled Date Attached Logs Client Sample # (s): Relinquished (Client): Sample Date: 4 2 4 19 Time: 12 4 5 Pm. Received (Lab): Date: 4 2 4 7 Time: DATE Comments/Special instructions:	Sa	m Seneviratno					
Sample # Sample Description HA # (Bulk) Sampled Sample # Sample Description	Samplers Name: >>			Samplers Signature:		······································	
Client Sample # (s): Relinquished (Client): Received (Lab): Comments/Special Instructions: Client Sample # (s): - 29 Total # of Samples: 29 Time: 12; 45 Pm Time: 04	Sample #		Sample Description	1		*	
Client Sample # (s): Relinquished (Client): Received (Lab): Comments/Special Instructions: Client Sample # (s): - 29 Total # of Samples: 29 Time: 12; 45 Pm Time: 04		See Altain	id logs		AUK_	10 - (2) 15 Pa	
Client Sample # (s):					See las c		
Client Sample # (s):		······································	•••••••••••••••••••••••••••••••••••••••				
Client Sample # (s):						4	
Client Sample # (s):	<i>\\</i>					*	
Relinquished (Client): 2:45 Ptc. Received (Lab): 12:45 Ptc. Comments/Special Instructions: 12:45 Ptc.	29						
Relinquished (Client): 2:45 Pkg Received (Lab): 10 Date: 4 24 9 Time: 12:45 Pkg Comments/Special Instructions:							
Relinquished (Client): 2:45 Pkg Received (Lab): 10 Date: 4 24 9 Time: 12:45 Pkg Comments/Special Instructions:	Client Sample # (s):	l .	£ .	24	Total # of Samples:	<u> </u>	
Received (Lab): () () () () () () () () () () () () ()	***************************************	: .Q.,,, Q.,	Date:	4124119	**************************************	· 12:45 Pe.	
Comments/Special Instructions:			######################################			Committee of the commit	
* / ALL COLL COLL COLL COLL COLL COLL COLL			Sal Land Game.		3 \$\$\$\$\$	<u> </u>	
15/ Mease nota Sables 5 0-20 (19 744)	米/ Neas	e hold S) auto (est 1 5	6-20	(15 Saples)	
Page 1 of pages			······································			,	

Controlled Document - COC-84 Asbestus - 93.1 - 3/35/2017

 ω

www.advgeoenv.com

ASBESTOS	INSPECTION	FIELD	DATA	SHEET

Page Inspector Name and License #: Sam Seneviratne_CAC # 93-0886

Project #: 19 - 1901
Name: DeVore Trust Property Date of Inspection: April 24, 2019

Location: 206, 210 W. Saluson Ave., Los Angeles, CA

Inspector Signature	War it	X-ZAAVV	aca

2./ 3.% 443.67.	n. 200, 210 w. Janusun Ave., i.us Ang	cies, CA inspector organitate			
Sample #	Material Description	Material Location	Quantity Friable (SF or LF)	Damage (ND, D, SD)	Photo #
/	Asphalt Composite	Assial Ground		74	İ
2	C 4" Thick	/ · · · · · · · · · · · · · · · · · · ·	3,300 C. 4 NE		•
3	1 the later	(# F.		\ \	1
				<u> </u>	
					15
	**				
6	Alsomal & GAI	65 901 Deschip	55 gardau F		0
7	hraiban's mai				
8	No.			<u> </u>	*****
4					······································
10	y				Ω
17	<i>•</i>				Q
12-					9
13	<u>/</u>				
74	Rosine Setris)			10
<u>!</u>		t t		······	i \
(V		₩ .			
17	K K	Ä		 	(72
	* * * * * * * * * * * * * * * * * * *			·····	
(P	* /	<u> </u>			ı3
· · · · · · · · · · · · · · · · · · ·	W W	**************************************		 /	
<u> </u>		······································	4	······	27/3
22	Abolinat	4801 Bin 50h	(SF: NF		22
As the	Diskur day type flage				***
- 23	Ropalt Sloot	MUN Shed	Carlow W - G		123
<i>(m.)</i>	Elec while Jugarlahour		HIZO OF NE	*	77
24 25	CICC ANGE TOPOLOGICA		Barranan dia mandra da mandra d		7
	45X	1 2 sou 5 gal bocket	- 690 F		L

3335 Miraioma Avenue #142, Anaheim, CA 92806 T: 800.511.9300 | F: 888.445.8786

Page

0

www.advgeoenv.com

ASBESTOS INSPECTION FIELD DATA SHEET

Page ___of ___

Project #: 19-1957
Name: DeVore Trust Property

Inspector Name and License #: Sam Seneviratne, CAC # 93-0886_

Date of Inspection: April 24, 2019

Location: 206, 210 W. Saluson Ave., Los Angeles, CA____

Inspector Signature

Sample #	Material Description	Material Locat	ion	Quantity (SF or LF)	Friable (NF or F)	Damage (ND, D, SD)	Photo #
26	Absorbart	Will all Ma	it Wall	50H		<u> </u>	25
2 % 2 %	Bushing Wheels 6"00	Mary Cara wa	şı Wall	2 6k	NF.	N.	27 23
24	<u> </u>				Ĵ		24

Appendix C

Inspector Certifications

Advanced Geo Environmental

State of California
Division of Occupational Safety and Health
Certified Asbestos Consultant

Samita D Seneviratne

Cert 93-0886

Exp. ____02/18/20

This partition of a several further Shriston of Decapations (set to and letter) for authorized by Sections 7 (6) at death of the thirdness and Professions Code.

Crate of California Department of Public Health



GREEN ENVIRONMENTAL TRAINING

OSHA Approved Training for Hazardous Materials
This Certifies that

Sam Seneviratine

Has completed the 8 Hour SUPERVISORY Refresher Course in accordance with CFR 29 & CCR Title 8.

Training Date: 03/27/19 Valid for 12 Months

Certification No.: 08HR032719-1020 SS# ***-**-8788

Kent Green, Director of Training

3335 East Miraloma Avenue Suite 142, Anahelm, CA 92806 Telephone (800) 511-9300 • Fax (888) 445-8786 An Employee-Ownes Company